L Number	Hits	Search Text	DB	Time stamp
1	5188	wire and winding and mandrel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 14:16
2	486	wire and winding and mandrel and dual	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 14:19
3	452	(wire and winding and mandrel) and traverse	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 14:19
4	102	((wire and winding and mandrel) and traverse) and data	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 14:19
5	104	((wire and winding and mandrel) and traverse) and controller	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 14:19
6	28	(((wire and winding and mandrel) and traverse) and data) and command	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 14:20
7	4	"5499775"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:54
8	646	remote and controller and machine and network and wireless and bluetooth	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 14:47
9	7	(remote and controller and machine and network and wireless and bluetooth) and "IEEE 802"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 14:48
10	2	(remote and controller and machine and network and wireless and bluetooth) and winding	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:05
11	2	"portable operator console"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:07
12	227	portable and bluetooth and controller and interface and keypad	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:12
13	61	(portable and bluetooth and controller and interface and keypad) and prompt	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:12
14	125	"portable console"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:13
15	1	"portable console" and bluetooth	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:13
16	0	"wireless device" and bluetooth and controller and "machine tool"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:14
17	415	"wireless device" and bluetooth and controller	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:14

C:\APPS\EAST\Workspaces\fdfsd.2wsp.wsp

18	1	("wireless device" and bluetooth and controller) and footswitch	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:20
19	415	("wireless device" and bluetooth and controller) and controller	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:20
20	96	("wireless device" and bluetooth and controller) and keypad	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:25
21	219	palm and remote and bluetooth and control and network and controller	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:33
22	23	(palm and remote and bluetooth and control and network and controller) and "remote monitoring"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:35
23	74	bluetooth and "remote control" and monitoring and controller and machine	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:35
24	0	safety and "portable footswitch"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:54
25	1	"portable footswitch"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:55
26	1	"portable foot switch"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:55
27	5071	"foot switch"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:55
28	1150	"foot switch" and safety	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:55
29	348	("foot switch" and safety) and ensure	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 15:56
30	50	(("foot switch" and safety) and ensure) and winding	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 16:00
31	1150	"foot switch" and safety	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 16:00
32	0	("foot switch" and safety) and pressed and "inadvertantly"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 16:01
33	1408	"inadvertantly"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 16:01
34	4	("foot switch" and safety) and "inadvertantly"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 17:36

35	7	"IEEE 802" and LAN/MAN	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 17:46
36	70	"data terminal" and removable and console	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 17:47
37	371374	removable	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 17:48
38	37	removable near keypad	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/09 17:48
–	274	"reason code" and available and status and machine	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 10:36
–	52	("reason code" and available and status and machine) and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 10:41
–	6	reason and offline and non-available	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 10:42
–	146	manufacturing and status and online and offline and reason	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 10:43
–	10	manufacturing and "machine status" and online and offline and reason	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 10:59
–	160	manufacturing and "machine status" and reason	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 10:59
–	0	manufacturing and ("machine status" near reason)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 10:59
–	0	"machine status" near reason	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 10:59
–	0	"machine status" and reason and manufacturingt	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 10:59
–	160	"machine status" and reason and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 11:00
–	11	"machine status" and reason and manufacturing and offline	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 11:14
–	6	"reason database" and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 11:15
–	92	manufacturing and "available status"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 11:15

-	34	manufacturing and "available status" and defects and errors	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 11:27
-	99	manufacturing and "reason codes"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/19 11:28
-	71	manufacturing and "reason codes" and machine	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 12:36
-	6	manufacturing and "reason database"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 12:37
-	0	avaialble and non-available	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 12:37
-	225	"non-available"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 12:37
-	95	"non-available" and status	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 12:38
-	72	"reason database"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 12:39
-	72	reason adj database	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 12:39
-	218	manufacturing and online and offline and status	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 12:40
-	165	(manufacturing and online and offline and status) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 13:09
-	134	((manufacturing and online and offline and status) and database) and machine	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 13:13
-	1721	"checking status"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 13:16
-	195038	manufacturing and machine	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 13:14
-	115	"checking status" and (manufacturing and machine)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 13:14
-	5133	"check status"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 13:16
-	27	("checking status" and (manufacturing and machine)) and "check status"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 13:18

-	1142	"status code" and reason	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 13:18
-	229	("status code" and reason) and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 13:18
-	165	(("status code" and reason) and manufacturing) and machine	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:10
-	242	manufacturing and 702/182	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:18
-	18	(manufacturing and 702/182) and status and flag	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:21
-	10	(manufacturing and 702/182) and status and flag and database	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:22
-	13	"status flag" and manufacturing and machine and offline	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:25
-	18	705/8 and "status flag"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:46
-	8	(705/8 and "status flag") and reason	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:48
-	714	"reason code"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:48
-	0	"reason code" near machine	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:48
-	0	"reason flag" near machine	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:48
-	71	"reason flag"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:50
-	0	"reason for downtime"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 14:51
-	14	"reason downtime"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 16:36
-	4	"6144893"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 16:58
-	645	"available status"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 16:58

-	69	"available status" and machine and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 17:01
-	146	"available status" and machine and idle	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 17:02
-	71	"available status" and machine and idle and 700/	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 17:06
-	0	status near idle near WIP	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 17:06
-	1255	status near idle	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 17:07
-	86	(status near idle) and statuses	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 17:07
-	1	(status near idle) near available	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 17:07
-	34	(status near idle) and manufacturing and controller	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 17:08
-	3	"available status" near machine	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 17:09
-	0	idle and "work in progress" and available and online	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 17:10